

Driscoll Health Plan Medical Necessity Guideline

Medical Necessity Guideline: Osgood-Schlatter Disease/Patellofemoral Disorder – Physical Therapy, Occupational Therapy, and Orthoses	Creation Date: 09/01/2007	Review Update: 05/26/2026	Effective Date: 07/28/2026
---	-------------------------------------	-------------------------------------	--------------------------------------

PURPOSE:

To outline the Driscoll Health Plan (DHP) indications and requirements for requests for Physical and Occupational therapy (PT and OT) aimed to strengthen and condition the painful affected knees of adolescents during growth spurt periods - Osgood-Schlatter disease.

LINE OF BUSINESS: STAR, STAR Kids, and CHIP

DEFINITIONS:

Osgood-Schlatter Disease - a tibial tubercle apophysitis resulting from repetitive strain on the patellar tendon insertion.

GUIDELINE:

DHP considers limited physical therapy (PT) or occupational therapy (OT) sessions medically necessary to instruct the member in:

- A home exercise, strengthening, and exercise program.
- Provide education on the natural history of this aggravating, but self-limited disease
- Modifications of activities of daily living, avoidance or modification of aggravating activities, instructions in strapping and/or elastic bracing

Current evidence does not support aggressive therapy in this self-limited disease; DHP will consider brief, limited therapy that rapidly transitions to a home program. DHP will consider additional therapy sessions if there is a functional need after documentation of compliance with an appropriate home program and an adequate period of therapeutic rest.

Though the evidence for the use of foot orthoses and complex knee braces is lacking for this diagnosis, DHP will consider requests for foot orthoses and knee braces in cases that are unresponsive to therapeutic rest and appropriate and conservative treatment.

Required Documentation: DHP requires documentation of history and course of the condition, limitations in Activities of Daily Living, treatments, medications, and trials of other modalities, including Over-the-counter items, along with the results of their use.

Confidential: For use only by employees and authorized agents of Driscoll Health Plan. This document contains confidential and proprietary information NOT to be reproduced or distributed to others without the prior written consent of Driscoll Health Plan

Driscoll Health Plan Medical Necessity Guideline

BACKGROUND:

Osgood-Schlatter syndrome (OSS) is the most common cause of knee pain in adolescents, especially those who participate in sports. The incidence has been reported as 21% among adolescent athletes compared to 4.5% among adolescent nonathletes. The incidence rate has been reported as 9.8% among the general adolescent population. ^(1, 5)

During activities involving running, jumping, and bending (e.g., soccer, basketball, volleyball, and ballet), the child's thigh muscles (quadriceps) pull on the tendon that connects the kneecap to the growth plate at the top of the shinbone. ⁽⁴⁾ This repeated stress can cause the tendon to pull on the growth plate where the tendon inserts into the shinbone, resulting in the pain and swelling associated with Osgood-Schlatter disease, ^(2, 3); other overuse syndromes and other knee disorders. ^(6, 7, 8)

Osgood-Schlatter disease usually resolves without formal treatment. Symptoms typically disappear after the child's bones stop growing – closure of the tibial tuberosity growth plate but may persist >1-2 years beyond skeletal maturity ⁽⁵⁾. About 90% of patients respond well to conservative treatment plans that include relative rest with activity modification (including avoidance of activities that reproduce pain), cryotherapy for pain management, therapeutic exercises, and patient education as the primary components. ^(1, 2, 3) However, symptoms may persist for 12-24 months before complete resolution. ^(1, 2, 3)

There is strong evidence that supports appropriate strengthening, primarily the quadriceps. However, exercise and aggravating activity should be performed only if pain-free to decrease the risk of tibial tubercle avulsion therapy. Initially, isometric quadriceps exercises may be indicated if there is atrophy and significant pain. ⁽¹⁾

There is scarce evidence in the literature to support aggressive physical therapy interventions. ^(1, 2)

Support for custom or complex knee and foot orthotics, over taping, sleeves, and other over-the-counter modalities is scarce in the literature. Only one citation addresses knee orthotics: ^(2, 3, 4)

PROVIDER CLAIMS CODES:

ICD 10	
M92.4	Juvenile osteochondrosis of the patella

Confidential: For use only by employees and authorized agents of Driscoll Health Plan. This document contains confidential and proprietary information NOT to be reproduced or distributed to others without the prior written consent of Driscoll Health Plan

Driscoll Health Plan Medical Necessity Guideline



REFERENCES:

1. Granado M; Callanen A, Osgood-Schlatter Syndrome, (Sept 1, 2023), CINAHL Rehabilitation Guide, Rehabilitation Reference Center, EBSCO Publishing, (Ipswich, Massachusetts);
<http://search.ebscohost.com/login.aspx?direct=true&db=rrc&AN=T708419&site=rrc-live>; Retrieved 5/26/2026
2. Osgood-Schlatter Disease, Ipswich, MA: EBSCO Information Services.
<https://www.dynamed.com/condition/osgood-schlatter-disease-17#GUID-9545B514-1E60-4AD5-B6C7-8478B4042CC3> (DynaMed, Corpus Christ, Texas retrieved on 5/26/2026).
3. Aminaka N, Gribble PA. A systematic review of the effects of therapeutic taping on patellofemoral pain syndrome. *J Athl Train*. 2005;40(4):341-351.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1323297/>. Accessed 05/31/2024.
4. Lun VM, Wiley JP, Meeuwisse WH, Yanagawa TL. Effectiveness of patellar bracing for treatment of patellofemoral pain syndrome. *Clin J Sport Med*. 2005;15(4):235-240.
<https://www.ncbi.nlm.nih.gov/pubmed/16003037>; Accessed 5/26/2026.
5. Smith JM, Varacallo M. Osgood-Schlatter Disease. [Updated 2023 Aug 4]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from:
<https://www.ncbi.nlm.nih.gov/books/NBK441995/>.
6. Circi E, Atalay Y, Beyzadeoglu T. Treatment of Osgood-Schlatter disease: review of the literature. *Musculoskelet Surg*. 2017 Dec;101(3):195-200.
7. Cunill-De Sautu B, Gereige RS. Knee conditions. *Pediatr Rev*. 2014 Sep;35(9):359-70
8. Yen YM. Assessment and treatment of knee pain in the child and adolescent athlete. *Pediatr Clin North Am*. 2014 Dec;61(6):1155-73
9. Journal of Orthopaedic & Sports Physical Therapy
Published Online: August 31, 2019 Volume 49 Issue 9 Pages CPG1-CPG95
<https://www.jospt.org/doi/10.2519/jospt.2019.0302>
10. Neuhaus C, Appenzeller-Herzog C, Faude O. A systematic review on conservative treatment options for OSGOOD-Schlatter disease. *Phys Ther Sport*. 2021 May;49:178-187. doi: 10.1016/j.ptsp.2021.03.002. Epub 2021 Mar 9. PMID: 33744766.

Confidential: For use only by employees and authorized agents of Driscoll Health Plan. This document contains confidential and proprietary information NOT to be reproduced or distributed to others without the prior written consent of Driscoll Health Plan

Driscoll Health Plan Medical Necessity Guideline

DOCUMENT HISTORY:

DHP Committee that Approved	<i>Review Approval Date (last 5 years)</i>				
Medical Director	06/07/2022	05/23/2023	05/31/2024	05/23/2025	05/26/2026
CMO	06/07/2022	06/06/2023	06/11/2024	06/10/2025	06/16/2026
Medical Policy Workgroup	06/07/2022	06/06/2023	06/11/2024	06/10/2025	06/16/2026
Provider Advisory Committee	06/17/2022	06/09/2023	07/01/2024	06/24/2025	06/16/2026
Clinical Management Committee	06/24/2022 & 08/23/2022	07/20/2023	07/24/2024	07/01/2025	07/21/2026
Executive Quality Committee	06/28/2022	07/25/2023	07/30/2024	07/17/2025	07/28/2026

<i>Document Owner</i>	<i>Organization</i>	<i>Department</i>
Dr. Dan Doucet, Medical Director	Driscoll Health Plan	Utilization Management

<i>Review/Revision Date</i>	<i>Review/Revision Information, etc.</i>
03/04/2014 & 09/01/2015	No changes
11/28/2016	No changes
11/28/2017	No changes
11/15/2018	Updated reference
11/30/2019	Updated to the new format by Dr. Brendel – additional language and references added. Modified authorization to 1 low-level evaluation and 3 – 1-hour PT/OT sessions. Added Prior Authorization for foot orthotics and knee braces.
05/13/2020	Updated to the new format. Rewording. Updating of references. Added pertinent codes
06/03/2020	Dr. Serrao – minor improvements in language
06/16/2020	Additional editing of material

Confidential: For use only by employees and authorized agents of Driscoll Health Plan. This document contains confidential and proprietary information NOT to be reproduced or distributed to others without the prior written consent of Driscoll Health Plan

Driscoll Health Plan Medical Necessity Guideline



05/18/2021	Updated and/or validated referenced and codes
05/20/2022	Reviewed and updated by Dr. Albert Gest
05/23/2022	Reviewed and edited by Dr. Fred McCurdy
05/23/2023	Reviewed by Drs Noorullah Akthar and Fred McCurdy
05/31/2024	Reviewed and revised by Drs. Lenore Depagter and Fred McCurdy
05/13/2025- 05/23/2025	Annual review and revision initiated on 05/13/2025 and completed on 05/23/2025 by Tamara Gonzalez and Dr. Dan Doucet
05/26/2026	Annual review and revision initiated 5/26/2026 and subsequently completed by Tamara Gonazalez and Dr. Dan Doucet

Confidential: For use only by employees and authorized agents of Driscoll Health Plan. This document contains confidential and proprietary information NOT to be reproduced or distributed to others without the prior written consent of Driscoll Health Plan